JC05 Rec'd PCT/PTO 3 0 OCT 2001

			DE 01 G 11 10 3 0 001 200.											
		TO-1390 U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE -2000)	ATTORNEY'S DOCKET NO. RAP04 P-582A											
		TRANSMITTAL LETTER TO THE UNITED STATES												
		DESIGNATED/ELECTED OFFICE (DO/EO/US)	U.S. APPLICATION NO. (If known,											
		CONCERNING A FILING UNDER 35 U.S.C. 371	see 37 CER / 10 18268											
		NATIONAL APPLICATION NO. INTERNATIONAL FILING DATE P00/04283 May 10, 2000	PRIORITY DATE CLAIMED											
		FINVENTION: DOCK-TO-DOCK RECEIVING AND DISPENSING FOR P	May 11, 1999											
AP.	PLICA	ANT(S) FOR DO/EO/US												
Ap	plicar	nt herewith submits to the United States Designated/Elected Office (DO/EO/US) the fo	llowing items and other information:											
1.		This is a FIRST submission of items concerning a filing under 35 U.S.C. 371.												
2.		This is a SECOND or SUBSEQUENT submission of items concerning a filing under 35 U.S.C. 371.												
3.		This is an express request to begin national examination procedures (35 U.S.C. 371(f)). The submission must include items (5), (6), (9) and (21) below.												
4.		The US has been elected by the expiration of 19 months from the priority date (Artic	le 31).											
5.		A copy of the International Application as filed (35 U.S.C. 371(c)(2)): a. is attached hereto (required only if not transmitted by the International Burn	2211)											
		b. has been communicated by the International Bureau.	Jaur.											
L		c. \Box is not required, as the application was filed in the United States Receiving (Office (RO/US).											
6.		An English language translation of the International Application as filed (35 U.S.C. 3 a. \Box is attached hereto.	371(c)(2)):											
		 a. □ Is attached thereto. b. □ has been previously submitted under 35 U.S.C. 154(d)(4). 												
	-	Amendments to the claims of the International Application under PCT Article 19 (35 a. are attached hereto (required only if not transmitted by the International Bu												
-Infil.		b. have been communicated by the International Bureau.												
		c. have not been made; however, the time limit for making such amendments	has NOT expired.											
1		d. ☐ have not been made and will not be made.												
8.		An English language translation of the amendments to the claims under PCT Article	19 (35 U.S.C. 371(c)(3)).											
9.		An oath or declaration of the inventor(s) (35 U.S.C. 371(c)(4)).												
10.		A English language translation of the annexes of the International Preliminary Examinarticle 36 (35 U.S.C. $371(e)(5)$).	nation Report under PCT											
Iter	ns 11	. to 20. below concern document(s) or information included:												
11.		An Information Disclosure Statement under 37 CFR 1.97 and 1.98.												
12.	=	An assignment document for recording. A separate cover sheet in compliance with 3	7 CFR 3.28 and 3.31 is included.											
13.		A FIRST preliminary amendment.												
14.		A SECOND or SUBSEQUENT preliminary amendment.												
15.		A substitute specification.												
16.		A change of power of attorney and/or address letter.												
		A computer-readable form of the sequence listing in accordance with PCT Rule 13ter	.2 and 35 U.S.C. 1.821 - 1.825.											
		A second copy of the published international application under 35 U.S.C. 154(d)(4).												
		A second copy of the English language translation of the international application und	er 35 U.S.C. 154(d)(4).											
		Other items or information: Copy of International Preliminary Examination Report.												
rag	e I of	4												

JC05 Rec'd PCT/PTO 3 0 OCT 200Y

	US APPLICATION N	O. (if known, see 37 CFR	1.5) INTERNATION PCT/EP00/0428	AL APPLICATION NO		''S DOCKET NO.							
		RAP04 P-58	2A										
	10	1010200			CALCULATIONS	PTO USE ONLY							
į	21. ■ The following f	ees are submitted:			CALCULATIONS	PIO USE ONLY							
	BASIC NATIONAL FEE (37 CFR 1.492(a) (1) - (5)):												
Neither international preliminary examination fee (37 CFR 1.482) nor international search fee (37 CFR 1.445(a)(2)) paid to USPTO													
	and International Search Report not prepared by the EPO or JPO												
	International preliminary examination fee (37 CFR 1.482) not paid to USPTO but International Search Report prepared by the EPO or JPO \$ 890.00												
	International preliminary examination fee (37 CFR 1.482) not paid to USPTO but international search fee (37 CFR 1.445(a)(2)) paid to USPTO												
	International preliminary examination fee (37 CFR 1.482) paid to USPTO												
	International preliminary examination fee (37 CFR 1.482) paid to USPTO but all claims did not satisfy provisions of PCT Article 33(1)-(4)												
		ninary examination fee (3			Ø 000 00								
	and all claims satis	fied provisions of PCT A	article 33(2)-(4)	\$ 100.00	\$ 890.00								
			PRIATE BASIC FEE A										
		for furnishing the oath or		□ 20 □ 30	s								
	CLAIMS	st claimed priority date (3 NUMBER FILED	NUMBER EXTRA	RATE									
	T-4-1-1	24.20		0.10.00									
15 21	Total claims	24 - 20 =	4	x \$ 18.00	\$ 72.00								
19 1911	Independent claims	5 - 3 =	2	x \$ 84.00	\$ 168.00								
	MULTIPLE DEPEND	ENT CLAIM(S) (if appli	cable)	+ \$280.00									
		TOTAL	OF ABOVE CALCUL	ATIONS =	\$1,130.00								
41		ms small entity status. See 3 re are reduced by 1/2.	7 CFR 1.27. The fees	+	s								
				UBTOTAL =	\$1,130.00								
11.		.00 for furnishing the Eng		□ 20 □ 30	s								
	months from the earlie	est claimed priority date (TOTAL NATIO	NAL FEE =	\$1,130.00								
		nclosed assignment (37 C	FR 1.21(h)). The assign	ment must be									
11	accompanied by an app	propriate cover sheet (37)		per property + S ENCLOSED =	\$ 40.00 \$1,170.00								
Haz			191121	21.02.02.0	Amount to be								
					refunded:	\$							
					charged:	\$							
	a. Checks in the	amounts of \$1,130.00 ar	nd \$40.00 to cover the al	ove fees are enclosed.									
	b. Please charge	e my Deposit Account N	o. 22-0190 in the amoun	t of \$to cover	the above fees.								
	A duplicate of	copy of this sheet is enclo	osed.										
	c. The Commis	ssioner is hereby authoriz	ed to charge any addition	nal fees which may be re	quired, or credit any								
	overpayment	t to Deposit Account No.	22-0190. A duplicate of	opy of this sheet is enclo	sed.								
		e charged to a credit care should not be included											
		ppropriate time limit un 37(a) or (b)) must be fil											
	SEND ALL CORRESPO	NDENCE TO:											
	Timothy A. Flory		70	TELAS C	-								
		Linn & Burkhart, LLP		nothy A. Flory	(signatu	re)							
į	Post Office Box 888 Grand Rapids, Michi		Re	gistration No. 42 540									
	Telephone: (616) 975-	-5500											
į	Facsimile: (616) 975- FORM PTO-1390 (REV 11-	5505											
	(VEA 11.	LUCUS I AGU & UL A											

PATENT RAP04 P-582A Express Mail No. EL686018325US

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

International Application No.:

PCT/EP00/04283

International Filing Date

May 10, 2000

Applicants

For

Gary P. Burns and Matthew R. Dubois

: DOCK-TŌ-DOCK RECEIVING AND

DISPENSING FOR POSTAL PROCESSING CENTER

Box PCT

Commissioner for Patents Washington, D.C. 20231

Dear Sir:

PRELIMINARY AMENDMENT

Prior to examination, Applicants wish to amend their application as follows:

In the Claims:

Claims 1-16 were amended during the International Phase on May 14, 2001. Please replace claims 1-16 with the following rewritten claims:

1. (Amended) A postal processing facility including a sorting system that receives mail in trays and sorts mail to trays and a dock area including a plurality of transportation docks that provide interface with transportation vehicles, comprising:

a receiving and dispatching system having at least one receiving and dispatching assembly that loads trays of sorted mail from a sorting system to transportation fixtures and unloads trays of mail to be sorted from transportation fixtures to the sorting system; and

wherein said receiving and dispatching system is at the dock area of the postal processing facility thereby providing substantially direct movement of fixtures between transportation vehicles and said receiving and dispatching system.

For : DOCK-TO-DOCK RECEIVING AND DISPENSING

FOR POSTAL PROCESSING CENTER

Page: 2

2. (Amended) The postal processing facility of claim 1 wherein said receiving and dispatching system includes at least one receiving and dispatching assembly that is adapted to both unload transportation fixtures and load transportation fixtures.

3. (Amended) The postal processing facility of claim 2 including a plurality of said receiving and dispatching assemblies, a sortation conveyor having a main line defined by a conveying surface and a plurality of spurs, extending from said main line to said receiving and dispatching assemblies.

4. (Amended) The postal processing facility of claim 3 wherein said spurs include separate spur lines for moving trays from said sortation conveyor to the receiving and dispatching assemblies and for moving trays from said receiving and dispatching assemblies to said sortation conveyor.

5. (Amended) The postal processing facility of claim 3 wherein said conveying surface is a continuous loop.

6. (Amended) The postal processing facility of claim 3 wherein said conveying surface is elevated with respect to said receiving and dispatching assemblies.

7. (Amended) The postal processing facility of claim 3 including individual enclosures around said receiving and dispatching assemblies with a moveable gate that can be selectively opened to allow other transportation fixtures in other receiving and dispatching assemblies to be loaded or unloaded while one transportation fixture is being removed.

8. (Amended) The postal processing facility of claim 1 wherein said transportation fixtures are wheeled carts.

9. (Amended) A postal processing facility including a sorting system that receives mail in trays and sorts mail to trays, comprising:

a receiving and dispatching system that loads trays of sorted mail from a sorting system to

For : DOCK-TO-DOCK RECEIVING AND DISPENSING

FOR POSTAL PROCESSING CENTER

Page: 3

transportation fixtures and unloads trays of mail to be sorted from transportation fixtures to the sorting system; and

wherein said receiving and dispatching system includes at least one receiving and dispatching assembly that is adapted to both unload transportation fixtures and load transportation fixtures.

10. (Amended) In a postal processing facility including a sorting system that receives mail in trays and sorts mail to trays and a dock area including a plurality of transportation docks that provide interface with transportation vehicles, a method of receiving trays of mail from transportation fixtures and dispatching trays of mail to transportation fixtures, comprising:

providing a receiving and dispatching system having at least one receiving and dispatching assembly that is operable to load trays of sorted mail from a sorting system to transportation fixtures and unload trays of mail to be sorted from transportation fixtures to the sorting system; and

substantially directly moving fixtures between transportation vehicles and said receiving and dispatching system.

- 11. (Amended) The method of receiving and dispatching trays in claim 10 including positioning said receiving and dispatching system at said dock area.
- 12. (Amended) In a postal processing facility including a sorting system that receives mail in trays and sorts mail to trays, a method of receiving trays of mail from transportation fixtures and dispatching trays of mail to transportation fixtures, comprising:

providing a receiving and dispatching system adapted to load and unload transportation fixtures;

loading trays of sorted mail from a sorting system to transportation fixtures and unloading trays of mail to be sorted from transportation fixtures to the sorting machine; and

wherein said loading and unloading include commonly loading and unloading with a common receiving and dispatching assembly.

13. (Amended) The method of receiving and dispatching in claim 12 including providing a receiving

For : DOCK-TO-DOCK RECEIVING AND DISPENSING

FOR POSTAL PROCESSING CENTER

Page: 4

and dispatching system having a transport mechanism adapted to load trays of mail to transportation fixtures and unload trays of mail from the transportation fixtures.

14. (Amended) The method of receiving and dispatching in claim 13 including providing a plurality of said transport mechanisms.

15. (Amended) The method of receiving and dispatching in claim 14 including loading trays of mail to transportation fixtures with ones of said transport mechanism and unloading trays of mail from the transportation fixtures with others of said transport mechanisms.

16. (Amended) The method of receiving and dispatching in claim 14 including loading trays of mail to transportation fixtures and unloading trays of mail from transportation fixtures with substantially all of said transport mechanisms.

Please insert new claims 17-24 as follows:

17. A postal processing facility including a sorting system that receives mail in trays and sorts mail to trays and a dock area including at least one transportation dock that provides interface with at least one transportation vehicle, said postal processing facility comprising:

a receiving and dispatching system that is operable to load trays of sorted mail from a sorting system to transportation fixtures and to unload trays of mail to be sorted from transportation fixtures to the sorting system; and

wherein said receiving and dispatching system provides substantially direct movement of fixtures between transportation vehicles and said receiving and dispatching system.

18. The postal processing facility of claim 17, wherein said receiving and dispatching system includes at least one receiving and dispatching assembly that is adapted to both unload transportation fixtures and load transportation fixtures.

٠,

Applicants : Gary P. Burns and Matthew R. Dubois

For : DOCK-TO-DOCK RECEIVING AND DISPENSING

FOR POSTAL PROCESSING CENTER

Page: 5

19. The postal processing facility of claim 18 including a plurality of said receiving and dispatching assemblies, a sortation conveyor having a main line defined by a conveying surface and a plurality of spurs, extending from said main line to said receiving and dispatching assemblies.

- 20. The postal processing facility of claim 19, wherein said spurs include separate spur lines for moving trays from said sortation conveyor to the receiving and dispatching assemblies and for moving trays from said receiving and dispatching assemblies to said sortation conveyor.
- 21. The postal processing facility of claim 19, wherein said conveying surface is a continuous loop.
- 22. The postal processing facility of claim 19, wherein said conveying surface is elevated with respect to said receiving and dispatching assemblies.
- 23. The postal processing facility of claim 19 including individual enclosures around said receiving and dispatching assemblies with a movable gate that can be selectively opened to allow other transportation fixtures in other receiving and dispatching assemblies to be loaded or unloaded while one transportation fixture is being removed.
- 24. The postal processing facility of claim 17, wherein said transportation fixtures are wheeled carts.

REMARKS

Entry of the amendment prior to calculation of the filing fee is requested. The amendment herein is fully supported by the application as filed. Accordingly, no new matter is added.

Attached hereto is a marked-up version of the changes made to the claims by the current amendment. The attached page is captioned "VERSION WITH MARKINGS TO SHOW CHANGES MADE."

For : DOCK-TO-DOCK RECEIVING AND DISPENSING

FOR POSTAL PROCESSING CENTER

Page : 6

An early and favorable action on the merits is earnestly requested.

Respectfully submitted,

GARY P. BURNS et al.

By: Van Dyke, Gardner, Linn & Burkhart, LLP

Dated: October 30, 2001.

Timothy A. Flory

Registration No. 42 540

2851 Charlevoix Drive, S.E., Suite 207

Post Office Box 888695

Grand Rapids, Michigan 49588-8695

(616) 975-5500

TAF:slg

RAP04 P-582A

10/018268 JC01 Rec'd PCT/PTO 30 OCT 2001

PATENT RAP04 P-582A Express Mail No. EL686018325US

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

International Application No.:

PCT/EP00/04283

International Filing Date

May 10, 2000

Applicants

Gary P. Burns and Matthew R. Dubois

For

DOCK-TO-DOCK RECEIVING AND

DISPENSING FOR POSTAL PROCESSING CENTER

Box PCT

Commissioner for Patents Washington, D.C. 20231

Dear Sir:

VERSION WITH MARKINGS TO SHOW CHANGES MADE

In the Claims:

Claims 1-16 have been amended as follows:

1. (Amended) A postal processing facility including a sorting system that receives mail in trays and sorts mail to trays and a dock area including a plurality of transportation docks that provide interface with transportation vehicles, comprising:

a receiving and dispatching system (34)-having at least one receiving and dispatching assembly (44)-that loads trays of sorted mail from a sorting system to transportation fixtures and unloads trays of mail to be sorted from transportation fixtures to the sorting system; and

wherein said receiving and dispatching system (34) is at the dock area of the postal processing facility thereby providing substantially direct movement of fixtures between transportation vehicles (26) and said receiving and dispatching system (34).

2. (Amended) The postal processing facility of claim 1 wherein said receiving and dispatching system (34)-includes at least one receiving and dispatching assembly (44)-that is adapted to both unload transportation fixtures and load transportation fixtures. ٠,

Applicants : Gary P. Burns and Matthew R. Dubois

For : DOCK-TO-DOCK RECEIVING AND DISPENSING

FOR POSTAL PROCESSING CENTER

Page : 2

3. (Amended) The postal processing facility of claim 2 including a plurality of said receiving and dispatching assemblies-(34), a sortation conveyor (38) having a main line (40)-defined by a conveying surface and a plurality of spurs-(42), extending from said mail main line (40) to said receiving and dispatching assemblies-(44).

4. (Amended) The postal processing facility of claim 3 wherein said spurs (42)-include separate spur lines for moving trays from said sortation conveyor (38) to the receiving and dispatching assemblies (44) and for moving trays from said receiving and dispatching assemblies (44) to said sortation conveyor (38).

- 5. (Amended) The postal processing facility of claim 3 wherein said conveying surface is a continuous loop (Fig.5).
- 6. (Amended) The postal processing facility of claim 3 wherein said conveying surface is elevated with respect to said receiving and dispatching assemblies (44).
- 7. (Amended) The postal processing facility of claim 3 including individual enclosures around said receiving and dispatching assemblies (44) with a moveable gate (56) that can be selectively opened to allow other transportation fixtures in other receiving and dispatching assemblies (44) to be loaded or unloaded while one transportation fixture is being removed.
- 8. (Amended) The postal processing facility of claim 1 wherein said transportation fixtures are wheeled carts.
- 9. (Amended) A postal processing facility including a sorting system that receives mail in trays and sorts mail to trays, comprising:

a receiving and dispatching system (34) that loads trays of sorted mail from a sorting system to transportation fixtures and unloads trays of mail to be sorted from transportation fixtures to the sorting system; and

wherein said receiving and dispatching system (34)-includes at least one receiving and

For : DOCK-TO-DOCK RECEIVING AND DISPENSING

FOR POSTAL PROCESSING CENTER

Page : 3

dispatching assembly (44) that is adapted to both unload transportation fixtures and load transportation fixtures.

10. (Amended) In a postal processing facility (20) including a sorting system that receives mail in trays and sorts mail to trays and a dock area including a plurality of transportation docks that provide interface with transportation vehicles (26), a method of receiving trays of mail from transportation fixtures and dispatching trays of mail to transportation fixtures, comprising:

providing a receiving and dispatching system (34) having at least one receiving and dispatching assembly (44) that is operable to load trays of sorted mail from a sorting system to transportation fixtures and unload trays of mail to be sorted from transportation fixtures to the sorting system; and

substantially directly moving fixtures between transportation vehicles (26) and said receiving and dispatching system (34).

- 11. (Amended) The method of receiving and dispatching trays in claim 10 including positioning said receiving and dispatching system (34)-at said dock area.
- 12. (Amended) In a postal processing facility including a sorting system that receives mail in trays and sorts mail to trays, a method of receiving trays of mail from transportation fixtures and dispatching trays of mail to transportation fixtures, comprising:

providing a receiving and dispatching system (34)-adapted to load and unload transportation fixtures;

loading trays of sorted mail from a sorting system (34) to transportation fixtures and unloading trays of mail to be sorted from transportation fixtures to the sorting machine (32); and wherein said loading and unloading include commonly loading and unloading with a common receiving and dispatching assembly (44).

13. (Amended) The method of receiving and dispatching in claim 12 including providing a receiving and dispatching system (34)-having a transport mechanism (50)-adapted to load trays of mail to transportation fixtures and unload trays of mail from the transportation fixtures.

* L. J. 1/2

Applicants : Gary P. Burns and Matthew R. Dubois

4

For : DOCK-TO-DOCK RECEIVING AND DISPENSING

FOR POSTAL PROCESSING CENTER

Page :

14. (Amended) The method of receiving and dispatching in claim 13 including providing a plurality of said transport mechanisms (50).

15. (Amended) The method of receiving and dispatching in claim 14 including loading trays of mail to transportation fixtures with ones of said transport mechanism (50) and unloading trays of mail from the transportation fixtures with others of said transport mechanisms (50).

16. (Amended) The method of receiving and dispatching in claim 14 including loading trays of mail to transportation fixtures and unloading trays of mail from transportation fixtures with substantially all of said transport mechanisms (50).

10/PRTS

1 0 / 0 1 8 2 6 8 JC05 Rec'd PCT/PTO 3 0 OCT 2001

WO 00/67922

5

DOCK-TO-DOCK RECEIVING AND DISPENSING FOR POSTAL PROCESSING CENTER

BACKGROUND OF THE INVENTION

The present invention is directed to a postal processing facility such as the type which processes letter mail, flat mail, such as magazines, and the like, such as by sorting mail by zip code or some other convenient index. More particularly, the invention relates to the dispatching of trays of sorted mail from a sorting system to transportation fixtures and the unloading of trays of mail to be sorted from transportation fixtures to the sorting system.

A conventional integrated processing facility 10, such as shown in figure 1, includes an unloading system 12, which unloads trays, each of which contains incoming letters, flat mail, or the like, from transportation fixtures, such as ERMCS rolling carts, or pallets, or the like, and inducts the containers to a Tray Management System (TMS) which feeds the trays to the remaining portion of the mail-sorting system generally illustrated at 14. Integrated processing facility 10 additionally includes a loading system 16 which receives trays of letters, flat mail, and the like, from mail-sorting system 14 via the TMS and loads the letter trays to the transportation fixtures; namely, carts, pallets, or the like. In the illustrated embodiment, loading system 16 may be of the general type disclosed in figure 1 of commonly assigned Patent Cooperation Treaty (PCT) patent application Serial No. PCT/EP99/00317 filed January 21, 1999, the disclosure of which is hereby incorporated herein by reference. Unloading system 12 may be of the type illustrated in figure 2 of said PCT patent application.

As can be seen by reference to figure 1, loading system 16 and unloading system 12 are positioned in an interior portion of integrated processing facility 10. The transportation fixtures are received from vehicles, such as semitrailer trucks, at a

30

20

25

10

15

20

loading dock (not shown) which is, by necessity, positioned at a peripheral portion of facility 10. Because the loading dock is at a peripheral portion of facility 10 and loading system 16, and unloading system 12 is at an interior portion of facility 10, it is necessary to transport the transportation fixtures a significant distance between the loading system 16, unloading system 12, and the loading dock. This has traditionally been carried out by manual movement of the carts and forklift transportation of pallets. Recently, it has been suggested to use Automatic-Guided Vehicles (AGVs) to move the transportation fixtures between the loading dock, loading system 16 and unloading system 12. This transportation creates additional processing time and capital expenditures, thereby adding to the cost of mail processing. Furthermore, such prior art processing facility is inefficient in equipment utilization. Trucks with incoming mail would be positioned at a dock space relatively close to unloading system 12 in order to deliver incoming trays and then be repositioned at another dock space closer to loading system 16 in order to receive outgoing mail. Furthermore, unloading system 12 is utilized during a relatively short period of time as illustrated by the portion designated "RCS Dispatch Only" in figure 11. Likewise, loading system 16 is utilized only during a relatively small portion of the schedule indicated by "outgoing mail volume" in figure 11. Accordingly, equipment utilization both within facility 10 and adjunct to facility 10 is relatively low.

SUMMARY OF THE INVENTION

The present invention provides a postal processing facility receiving and dispatch system that eliminates the necessity for unloading to and dispatching from internal portions of the facility. The present invention furthermore combines the use of equipment in a manner that utilizes the equipment throughout the processing day. The present invention also eliminates the necessity for dedicated input doors and output doors at the loading dock. Therefore, trucks do not need to be moved between input doors and output doors, thereby simplifying the handling of trucks in the yard.

25

10

15

20

25

30

These and other objects, advantages, and features of this invention will become apparent upon review of the following specification in conjunction with the drawings.

BRIEF DESCRIPTION OF THE DRAWINGS

Fig. 1 is a top plan view of an integrated processing facility provided by the prior art;

Fig. 2 is a top plan view of an integrated processing facility according to the invention;

Fig. 3 is an enlarged portion of the area indicated by III in Fig. 2;

Figs. 4a and 4b are illustrations of a process for loading and unloading trays of mail

between a vehicle and a sorting system according to the invention;

Fig. 5 is a top plan view of the area indicated by V in Fig. 3:

Fig. 6 is a side elevation of the view indicated by VI-VI in Fig. 5;

Fig. 7 is a sectional view taken along the lines VII-VII in Fig. 5;

Fig. 8 is a side elevation of the lifter mechanism in Fig. 7:

Fig. 9 is a sectional view taken along the lines IX-IX in Fig. 5;

Fig. 10 is a perspective view of the robot in Fig. 9; and

Fig. 11 is a diagram illustrating daily mail volume in an integrated processing facility.

DESCRIPTION OF THE PREFERRED EMBODIMENT

Referring now specifically to the drawings, and the illustrative embodiments depicted therein, a postal processing system 20 includes a building 22 having a loading dock 24 which, as is traditional, includes a plurality of loading doors and another traditional dock facility (not shown) to accommodate vehicles 26 which, in the illustrated embodiment, are semitrailer trucks. Alternatively, vehicles 26 could be train cars, vans, or the like. As is conventional, postal processing facility 20 includes a mail-sorting system 28, including a Tray Management System (TMS) 30, which conveys and sorts trays between a series of mail-sorting machines, generally shown at 32.

Postal processing facility 20 additionally includes a receiving and dispatching system 34 that loads trays of sorted mail from TMS 30 to transportation fixtures, such as ERMCS carts, pallets, or the like, and unloads trays of mail to be sorted from

15

20

25

30

WO 00/67922 PCT/EP00/04283

4

transportation fixtures to TMS 30. Receiving and dispatching system 34 is made up of a plurality of receiving and dispatching cells 36, each of which is interconnected with a sortation conveyor 38, as will be described in more detail below. Each receiving and dispensing cell 36 is capable of loading trays of sorted mail to transportation fixtures and unloading trays of mail from transportation fixtures. This eliminates the necessity for separate loading systems and unloading systems which, as previously set forth, are poorly utilized throughout the processing day. Advantageously, receiving and dispensing cells 36 are at loading dock 24. This eliminates the necessity for a transportation system to transport the transportation fixtures between the loading dock and an interior portion of the processing facility. Furthermore, each vehicle 26 may remain positioned at a single loading/unloading door with transportation fixtures removed from the vehicle, the trays of sorted mail removed from the transportation fixtures, the trays of sorted mail loaded to transportation fixtures, and the transportation fixtures loaded to the vehicle 26 without having to move the vehicle 26 between an unloading door and a separate loading door.

Receiving and dispatching cell 36 includes a sortation conveyor 38 having a main line 40 which, preferably, is a recirculating continuous loop (Fig. 5). A plurality of spurs 42 extend from main line 40 to a receiving and dispatching assembly 44. Sortation conveyor 38 is elevated with respect to each receiving and dispatching assembly 44 wherein trays are lowered from sortation conveyor 38 by a mechanism, such as a gravity chute 46 (Fig. 6).

Each receiving end dispatching assembly 44 includes a plurality of cart positioners 48 and a transport mechanism 50 for transporting mail trays between spur 42 and each cart positioner 48. Spur 42 includes a powered roller conveyor 52 which extends the length of receiving and dispatching assembly 44. In the illustrated embodiment, transportation mechanism 50 is a robot of the type manufactured by Fanuc products under Model M710i. It should be understood that transport mechanism 50 could alternatively be of the type disclosed in PCT patent application Serial No. PCT/EP99/00317 filed January 21, 1999, for a HIGH THROUGHPUT DISPATCH SYSTEM FOR MAIL PROCESSING AND DISTRIBUTION SYSTEM, the disclosure of

WO 00/67922 PCT/EP00/04283

5

which is hereby incorporated herein by reference, suitably modified to be capable of unloading carts as well as loading carts. Preferably, receiving and dispatching assembly 44 is enclosed with an enclosure 54, such as a fence, in order to keep personnel from the operation of transport mechanism 50. Enclosure 54 includes a moveable gate 56 at each cart positioner 48 which can be selectively opened to allow transportation fixtures to be loaded or unloaded to the receiving and dispatching assembly 44. Advantageously, this arrangement allows receiving and dispatching system 34 to continue to operate even though a particular receiving and dispatching cell is having a cart replaced because only one cell is locked out at a time.

10

15

20

5

Powered roller conveyor 52 includes a lift mechanism 58 at strategic locations along the powered roller conveyor. Lift mechanism 58 (Fig. 7) includes a plurality of support fingers 60 which are selectively elevated by a lift assembly 62 when a tray is positioned over the lift mechanism. A pair of positioning arms 64 serve to center the tray over the lift mechanism. When lift mechanism 58 is actuated, the tray is elevated in order to allow transport mechanism 50 to engage the tray from either a lateral side direction or an end longitudinal direction. This allows the transport mechanism to position each tray 73 328on a cart in either of two orthogonally related positions. This allows trays to be staggered on the cart in alternating patterns in order to increase security of cart loading. Receiving and dispatching assembly 44 additionally includes a half tray support 66 adjacent cart positioner 48. This provides a staging area for transport mechanism 50 to position half trays during the loading of a cart. If transport mechanism 50 comes across another half tray, then the two half trays can be positioned together in order to provide the same profile as a full tray. This avoids any instability caused by the placement of a half tray on a cart.

25

30

In the illustrative embodiment, transport mechanism 50 includes a robot arm 70 which terminates in an end-effector, or an end-of-arm tool, 72. Transport mechanism 50 additionally includes a transporter 82 having legs which span powered roller conveyor 52 and any mail tray on the powered roller conveyor 52. End-effector 72 includes a tray support in the form of a series of tines 74 and a clamp member 76 for clamping a tray against the tray support 74. Endeffector 72 additionally includes a pusher/grabber

10

15

20

25

30

WO 00/67922 PCT/EP00/04283

6

mechanism 78 which pushes trays from tray support 74 concurrently with end effector 72 being withdrawn from the cart. Alternatively, pusher/grabber 78 engages a hand opening (not shown) in the side of a tray in order to pull a tray onto tray support 74. In order to facilitate the loading and unloading of trays onto tray support 74, one or more, preferably two or more, sensors, such as imaging sensors 80, are positioned on the end of tray support 74.

Receiving and dispensing system 34 operates as follows. In order to load trays of sorted mail to transportation fixtures, trays are diverted onto spur 42 by a diverter, such as a conventional pop-up rotating-belt diverter or the like, and travel down chute 46 under gravity. The tray is transported by powered roller conveyor 52 to an appropriate position for transporting by transport mechanism 50. This is accomplished by lift mechanism 58 elevating the tray and end-effector 72 of transport mechanism 50 engaging the tray from the appropriate direction according to the need of the cart being loaded. The tray is grasped between clamp mechanism 76 and tray support 74 and is positioned on the appropriate cart. This may be accomplished by transporter 82 traveling in the direction of conveyor 52. As previously set forth, trays are loaded onto carts utilizing pusher/grabber 78 to strip the tray from tray support 74. When a cart is full, the associated gate 56 is opened which shuts down the respective cell 36 while that cart is loaded onto a vehicle 26 located at an adjacent door. The cart is replaced with an empty cart and gate 56 is closed allowing the respective cell to resume operation.

In a mode in which trays are unloaded from transportation fixtures, the full fixture is positioned on a cart positioner 48 and gate 56 is closed. Transport mechanism 50 causes endeffector 72 to individually engage the trays on the cart to be unloaded. Pusher/grabber 78 is extended under the guidance of imaging sensors 80 into engagement with an opening in the side of the tray. The pusher/grabber 78 is retracted pulling the tray onto tray support 74. Clamp member 76 clamps the tray against tray support 74. Transport mechanism 50 places the cart on lift mechanism 58 in the proper orientation. Lift mechanism 58 retracts causing the tray to be properly positioned on powered roller conveyor 52. Powered roller conveyor 52 includes a powered incline

10

15

20

25

 portion 52a which conveys the unloaded tray onto TMS 30 by conveying the tray uphili onto a receiving portion of sortation conveyor 38. Alternatively, it would be possible to have chute 46 replaced with a powered roller conveyor that is capable of operation in both directions such that trays being unloaded are transported upwardly away from the respective receiving and dispatching assembly. The rollers are reversed and the conveyor transported in the opposite direction to receive trays for loading onto the carts.

As can be seen by references to figures 4a and 4b, the invention can be utilized in different ways to dispatch and receive trays. Figure 4a shows three receiving and displaying cells 36 designated 1, 2, and 3. In this example, cell 1 is full of carts received from a vehicle, cell 2 is full of empty carts and cell 3 is full of carts ready for dispatch. As the carts are unloaded in cell 3, they are available for use in cell 2 which then becomes a receiving cell. As full receiving carts are removed from cell 1, they can then become a dispatch cell and replaced with full carts for dispatching. Figure 4b shows an alternative method in which individual positions within each of the cells 1, 2, and 3 are utilized as either receiving positions, dispatch positions, or empty positions. Because of the capability of the computer system (not shown) controlling the receiving and dispatching system, the function of each cart position can be determined and monitored.

As can be seen in figure 11, the present invention provides a receiving and dispatching system which is more fully utilized throughout the processing day thereby ensuring a more effective return on investment. During period A, mail is received from the trucks and processed by mail-sorting system 28. During period B, the processed mail is dispatched utilizing receiving and dispatching system 34. During period C, mail which arrives occasionally on vehicles 26 can be received as it arrives. Any remaining mail is dispatched at D.

Claims

5

10

15

20

25

30

- 1. A postal processing facility including a sorting system that receives mail in trays and sorts mail to trays and a dock area including a plurality of transportation docks that provide interface with transportation vehicles, comprising: a receiving and dispatching system that loads trays of sorted mail from a sorting system to transportation fixtures and unloads trays of mail to be sorted from transportation fixtures to the sorting system; and wherein said receiving and dispatching system is at the dock area of the postal processing facility thereby providing substantially direct movement of fixtures between transportation vehicles and said receiving and dispatching system.
- The postal processing facility of claim 1 wherein said receiving and dispatching system includes at least one receiving and dispatching assembly that is adapted to both unload transportation fixtures and load transportation fixtures.
- 3. The postal processing facility of claim 2 including a plurality of said receiving and dispatching assemblies, a sortation conveyor having a main line defined by a conveying surface and a plurality of spurs, extending from said mail line to said receiving and dispatching assemblies.
- 4. The postal processing facility of claim 3 wherein said spurs include separate spur lines for moving trays from said sortation conveyor to the receiving and dispatching assemblies and for moving trays from said receiving and dispatching assemblies to said sortation conveyor.
- The postal processing facility of claim 3 wherein said conveying surface is a continuous loop.
- The postal processing facility of claim 3 wherein said conveying surface is elevated with respect to said receiving and dispatching assemblies.
 - The postal processing facility of claim 3 including individual enclosures around said receiving and dispatching assemblies with a moveable gate that can be

į,

Claim Amendments in response to the Written Opinion dated February 12, 2001

A postal processing facility including a sorting system that receives mail in travs and sorts mail to trays and a dock area including a plurality of transportation docks that provide interface with transportation vehicles, comprising:

a receiving and dispatching system (34) having at least one receiving and dispatching assembly (44) that loads trays of sorted mail from a sorting system to transportation fixtures and unloads travs of mail to be sorted from transportation fixtures to the sorting system; and

wherein said receiving and dispatching system (34) is at the dock area of the postal processing facility thereby providing substantially direct movement of fixtures between transportation vehicles (26) and said receiving and dispatching system (34).

- 2. The postal processing facility of claim 1 wherein said receiving and dispatching system (34) includes at least one receiving and dispatching assembly (44) that is adapted to both unload transportation fixtures and load transportation fixtures.
- 3. The postal processing facility of claim 2 including a plurality of said receiving and dispatching assemblies (34), a sortation conveyor (38) having a main line (40) defined by a conveying surface and a plurality of spurs (42), extending from said mail line (40) to said receiving and dispatching assemblies (44).
- 4. The postal processing facility of claim 3 wherein said spurs (42) include separate spur lines for moving trays from said sortation conveyor (38) to the receiving and dispatching assemblies (44) and for moving trays from said receiving and dispatching assemblies (44) to said sortation conveyor (38).
- The postal processing facility of claim 3 wherein said conveying surface is a 5. continuous loop (Fig.5).
- The postal processing facility of claim 3 wherein said conveying surface is elevated 6. with respect to said receiving and dispatching assemblies (44).
- 7. The postal processing facility of claim 3 including individual enclosures around said receiving and dispatching assemblies (44) with a moveable gate (56) that can be selectively

TELEFAX: 0 30 / 8 26 51 06

TELEFON:

BANKKONTO: BERLINER BANK AG. BLZ: 100 206 00 AMENDED SHEET ***: 3696716000

POSTBANK BERLIN P. MEISSNER, BERLIN BL2: 100 100 10

ARIS AND

opened to allow other transportation fixtures in other receiving and dispatching assemblies (44) to be loaded or unloaded while one transportation fixture is being removed.

- The postal processing facility of claim 1 wherein said transportation fixtures are wheeled carts.
- A postal processing facility including a sorting system that receives mail in trays and sorts mail to trays, comprising:

a receiving and dispatching system (34) that loads trays of sorted mail from a sorting system to transportation fixtures and unloads trays of mail-to-be sorted from transportation fixtures to the sorting system; and

wherein said receiving and dispatching system (34) includes at least one receiving and dispatching assembly (44) that is adapted to both unload transportation fixtures and load transportation fixtures.

10. In a postal processing facility (20) including a sorting system that receives mail in trays and sorts mail to trays and a dock area including a plurality of transportation docks that provide interface with transportation vehicles (26), a method of receiving trays of mail from transportation fixtures and dispatching trays of mail to transportation fixtures, comprising:

providing a receiving and dispatching system (34) having at least one receiving and dispatching assembly (44) that is operable to load trays of sorted mail from a sorting system to transportation fixtures and unload trays of mail to be sorted from transportation fixtures to the sorting system]; and

substantially directly moving fixtures between transportation vehicles (26) and said receiving and dispatching system (34).


- 11. The method of receiving and dispatching trays in claim 10 including positioning said receiving and dispatching system (34) at said dock area.
- 12. In a postal processing facility including a sorting system that receives mail in trays and sorts mail to trays, a method of receiving trays of mail from transportation fixtures and dispatching trays of mail to transportation fixtures, comprising:


providing a receiving and dispatching system (34)


AFT 34 AND loading trays of sorted mail from a sorting system (34) to transportation fixtures and unloading trays of mail to be sorted from transportation fixtures to the sorting machine (32): and

> wherein said loading and unloading include commonly loading and unloading with a common receiving and dispatching assembly (44).

- The method of receiving and dispatching in claim 12 including providing a receiving 13. and dispatching system (34) having a transport mechanism (50) adapted to load trays of mail to transportation fixtures and unload trays of mail from the transportation fixtures.
- The method of receiving and dispatching in claim 13 including providing a plurality of 14. said transport mechanisms (50).
- The method of receiving and dispatching in claim 14 including loading trays of mail to 15. transportation fixtures with ones of said transport mechanism (50) and unloading trays of mail from the transportation fixtures with others of said transport mechanisms (50).
- The method of receiving and dispatching in claim 14 including loading trays of mail to 16. transportation fixtures and unloading trays of mail from transportation fixtures with substantially all of said transport mechanisms (50).














Fig. 4b








Fig. 6




Fig. 7






Fig. 8



Daily Mail Volumes in a Typical USPS Processing & Distribution Center



Hours of Operation

Please	type a	nlus	cion	(+)	inside	this	hov	

Express Mail # EL686018325US PTO/SB/01 (12-97)
Approved for use through 9/30/00. OMB 0651-0032
Patent and Trademark Office: US DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB. control number.

	DECLA UTILIT	Y O	R DI	ESIGN	Attorney Docket No. First Named Inventor	RAP04 P-582A Gary P. Burns					
PATENT APPLICATION					COMPLETE IF KNOWN						
	(37	7 CFR	1.63)	Application No.						
	Declaration	aration Of	r 🗆 Declaratio		Filing Date						
	Submitted with Initial			Submitted after Initial	Group Art Unit						
	Filing			Filing (surcharge (37 CFR 1.16(e)) required)	Examiner Name						

As a below named inventor, I hereby declare that:												
My residence, post office ad	dress, and citizenship are as st	tated below next to my name.										
I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:												
DOCK-T	DOCK-TO-DOCK RECEIVING AND DISPENSING FOR POSTAL PROCESSING CENTER											
(Title of the Invention) the specification of which												
is attached hereto		•										
OR	-											
was filed on (MM/DD	(YY) 05/10/00	as United States Ap	plication No. or PCT	International								
Application No. PCT/EP00/04283 and was amended on (MM/DD/YY) (if applicable).												
I hereby state that I have rev amendment specifically refe		tents of the above-identified s	pecification, includir	ng the claims, as amended by any								
I acknowledge the duty to d	isclose information which is n	naterial to patentability as defi	ned in Title 37 Code	of Federal Regulations, § 1.56.								
certificate, or § 365(a) of an below and have also identifi		n which designated at least or k, any foreign application for	ne country other than patent or inventor's o	ation(s) for patent or inventor's the United States of America, listed certificate, or of any PCT								
Prior Foreign Application Number(s)	Country	Foreign Filing Date (MM/DD/YY)	Priority Not Claimed	Certified Copy Attached? YES NO								
				0 0								
				0 0								
			_									
□ Additional foreign applic	cation numbers are listed on a	sunnlemental priority cheet D	TO/SR/02B attached	hereto:								
	Title 35, United States Code											
Application Number(s)	Filing Date (MM/DD/YY)		visional application									
60/133,413	05/11/99	are listed on a	supplemental priority									
(Page 1 of 3) Burden Hour Statement: This form is estimated to take 0.4 hours to complete. Time will vary depending upon the needs of the individual case.												

Duried Boulet Bourt Statement. This form is estimated to take 04-mous to complete. This will vary depending upon the freets of the fluctuation of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner of Patents and Trademarks, Washington, DC 20231. (July 1998)

Please type a plus sign (+) inside this box,

PTO/SB/02A (3-97)

Approved for use through 9/30/98. OMB 0651-0032 Patent and Trademark Office: US DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB

DECLARATION

ADDITIONAL INVENTOR(S) Supplemental Sheet

								Page 3 of 3					
Name of A	Idition-	Toint			-								
Name of Additional Joint Inventor, if any: A petition has been filed for this unsigned inventor.													
Given Name	Mat	new		/liddle nitial	R.		amily lame	Dubois		,	Suffix e.g., Jr.		
Inventor's Signature	7		lu	20			44	-	Date	6/	10/01		
Residence: City		rand Rapid	3	State	MI	d	ountry	United	States	Ci	tizenship	U.S.	
Post Office Address 1324 Bentree Drive, S.E.													
Post Office	Address	<u> </u>		г					T				
City G	rand R	apids	State	MI		Zip	495	08	Country	Unite	d States		
Name of A		Joint	Γ										
Given	any:			□ A Middle Initial	petition l	F	filed for amily Name	r this unsigne	ed inventor.		Suffix e.g., Jr.		
Name	-			initiai			vanie				c.g., 51.		
Inventor's Signature									Date	<u> </u>			
Residence: City		.,		State C			Country			C	Citizenship		
Post Office	Addres	s											
Post Office	Addres	s											
City			State	<u> </u>	Zip			Cou		Country			
Name of A Inventor, i		l Joint		A	petition	has bee	n filed f	or this unsign	ned inventor	:			
Given Name				Middle Initial			Family Name			Suffix e.g., Jr.			
Inventor's Signature Date													
Residence City	:			State			Country			c	Citizenship		
Post Offic	e Addre	is											
Post Offic	e Addre	is											
0			Ctoto			7in			Country				

Burden Hour Statement: This form is estimated to take 0.4 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner of Patents and Trademarks, Washington, DC 20231.

The grant stand etand about the stand stand etand on the first stand of the first than the the first th

PTO/SB/01 (12-97)

PIO/SB/01 (12-97)
Approved for use through 9/30/00/q pAH 0651-0032
Patent and Trademark Office: US DEPARTMENT OF CHAPTER OF THE PROPERTY OF T

DECLARATION - Utility or Design Patent Application

not disclosed Code § 112, 1 § 1.56 which application.	esignating the lin the prior I acknowled became ava	ne United State United State ge the duty t illable betwe	ates of A es or PC to disclo en the f	America, lis T Internati se informa iling date o	onal app	ow and, olication	insofar a in the naterial to ication a	nanner pro patentabil nd the nation	vided by the flity as defined on all or PCT i	first par In Tit	agraph o le 37, Co ional fili	f Title 35 de of Fed ng date of	, United States eral Regulations f this
U.S.	U.S. Parent Application or PCT Patent Number Parent Filing Date (MM/DD/YY) (if applicable)												
i	PC.	Γ/EP00/04	1283					05/10/0	00				
□ Addition	Additional U.S. or PCT international application numbers are listed on a supplemental priority sheet PTO/SB/02B attached hereto. As a named inventor, I hereby appoint the following registered practitioner(s) to prosecute this application and to transact all business in the												
As a named	inventor, I h	ereby appoir	nt the fo	llowing reg	gistered	practitie	oner(s) to	prosecute	this applicat	ion and	to transa	act all bus	siness in the
Patent and Trademark Office connected therewith: ☐ Customer Number ☐ Place Customer No. Bar Code Label Here													
				-	Reg	istered	practition	ner(s) name	e/registration	numbe	r listed b		
	Name				Registra Numb				Name			F	Registration Number
Daniel Van I Donald S. G Terence J. L Frederick S.	ardner inn		-	25 046 25 975 30 283 29 288			Matthew L. Goska 42 Anthony A. Bisulca 40				37 599 42 594 40 913 42 540	-	
□ Additi	onal register	ed practition	ner(s) no	med on su	nnlemer	atal Reg	istered F	ractitioner	Information	sheet P	TO/SB/0	2C attach	ned hereto.
	corresponde		Cust	omer No. ar Code La					OR =				ress below
Name		A. Flory e. Gardner	, Linn	& Burkha	rt, LLF	•		×					
Address		fice Box (
City	Grand R			40,			State		MI	2	ZIP	49588-	8695
Country	United S	States of Ar	nerica		Telep	hone	6	16/975-55		Fax		975-550	
I hereby dec	clare that all	statements if	made he these st	atements w 1, under Se	ere mad ction 10	le with 1 01 of T	the know itle 18 of		Il statements willful false s d States Code				belief are made are se statements may
,	de or First I							or this unsi	gned inventor	r.			
Given Name	Gary	R		Middle Initial	P.		Family Name	Burns				Suffix e.g., Jr.	
Inventor's	/			2 1	\mathcal{I}	12	~		Date		1/2	4/01	
Signature Residence: City		kford		State	MI	MA	Country	Unite	d States	_1	Citize	nship	U.S.
Post Office	-		4.14	- Dates		ــــــــــــــــــــــــــــــــــــــ		Omto	u ottero				
Post Office		6385 Lo	os Aito	os Drive									
			State	МІ		Zip	493	41	Country	T	Inited St	tates	
	ROCKFORD TO (SP)(O) A ettached hereto											ed hereto.	

(Page 2 of 3)